

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/823,053	03/30/2001	Milind M. Buddhikot	554-251(BUDDHIKOT 2-1-4-2	8989
46363	7590 06/05/2006		EXAMINER SIDDIQI, MOHAMMAD A	
	ON & SHERIDAN, LLP/ ECHNOLOGIES, INC			
	SBURY AVENUE		ART UNIT	PAPER NUMBER
SHREWSBURY, NJ 07702			2154	
			DATE MAILED: 06/05/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Madiaa af Allaurahilitur	09/823,053 Examiner	BUDDHIKOT ET AL. Art Unit	
	Mohammad A. Siddiqi	2154	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (0 herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in this apport of the appropriate communication GHTS. This application is subject to	lication. If not included will be mailed in due course. TH	
1. \boxtimes This communication is responsive to <u>04/12/2006</u> .			
2. The allowed claim(s) is/are <u>1-11,13,14,19-21</u> .			
 3.	been received. been received in Application No uments have been received in this in f this communication to file a reply tent of this application. ted. Note the attached EXAMINER's reason(s) why the oath or declarate be submitted. be submitted. on's Patent Drawing Review (PTO- Amendment / Comment or in the Comment or in the Comment of the drawing header according to 37 CFR 1.121(control of BIOLOGICAL MATERIAL of the control of BIOLOGICAL MATERIAL of the control of the drawing header according to 37 CFR 1.121(control of BIOLOGICAL MATERIAL of the control of the drawing header according to 37 CFR 1.121(control of BIOLOGICAL MATERIAL of the control of the control of BIOLOGICAL MATERIAL of the control of the control of BIOLOGICAL MATERIAL of the control of	complying with the requirements S AMENDMENT or NOTICE OF tion is deficient. 948) attached ffice action of the sign in the front (not the back) of the submitted. Note the	3
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	6. Interview Summary Paper No./Mail Dat 3), 7. Examiner's Amendr	e nent/Comment ent of Reasons for Allowance	

Continuation Sheet (PTOL-37)

Continuation of Áttachment(s) 9. Other: SUPLEMENTARY EXAMINER'S AMENDMENT.

^a Art Unit: 2154

SUPLEMENTARY EXAMINER'S AMENDMENT

1. Claim 14 is allowed.

Claims 1-11, 13, 14, and 19-21 have been already allowed in the previous office action.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview Michael Bentley with on 04/24/2006.

- 3. Please amend the specification as attached.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad A. Siddiqi whose telephone number is (571) 272-3976. The examiner can normally be reached on Monday -Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John A. Follansbee can be

[•] Art Unit: 2154

reached on (571) 272-3964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAS

JOXN FOLLANSBEE
SUPERVISORY BANGAT EXAMINER
TECHNOLOGY GENTER 2100

Application/Control Number: 09/823,053

Art Unit: 2154

IN THE SPECIFICATION:

Please replace the "Brief Description of the Drawings" section of the specification (pg. 9 – 10) with the following amended "Brief Description of the Drawings" section:

The foregoing features of the present invention will become more readily apparent and may be understood by referring to the following detailed description of an illustrative embodiment of the present invention, taken in conjunction with the accompanying drawings, where:

- FIG. 1 is an illustration of a distributed cache;
- FIG. 2 is an illustration of the segment size/distribution probability variation over N rounds in accordance with an unmodified segmentation/distribution method according to the present invention;
- FIG. 3 is an illustration of the segment size/distribution probability variation over N rounds in accordance with a modified distribution method according to one embodiment of the present invention;
- FIG. 4 is an illustration of the segment size/distribution probability variation over N rounds in accordance with a modified distribution method according to the present invention; streaming cache according to the present invention.
- FIG. 5 is an illustration of a global view of the state of a plurality of clips stored at a representative streaming cache in accordance with the inventive caching system;
- FIG. 6a is an illustration of a typical SC local cache storing a plurality of clips[[.]]; and

Application/Control Number: 09/823,053

• Art Unit: 2154

FIG. 6b is an illustration of a typical SC for removing segments from the SC when space is needed to store new segments.

Page 5